



MITEL

Cordless Accessories

Expand your communications range

New accessories from Mitel® offer the freedom of cordless mobility and the feature richness of a desktop phone.

With the Mitel Cordless Handset you're free to move around when on a call—and the Mitel Cordless Headset gives you further hands-free convenience. No more missed calls when you step away from your desk to go to the printer or speak to a colleague a few desks away!

A key benefit for any office or home-based call center users. DECT-based, the Cordless Headset can be used in high-density environments. Designed specifically for the Mitel 5330, 5340, and 5360 IP Phones, many features have been integrated into the headset itself.



Key Features

Features of the cordless accessories include:

- Initiate call / end call key
- Volume control keys
- Mute key
- Built-in ringer in the Cordless Handset
- Place outbound calls while mobile with programmable "Auto Speed Dial" upon off-hook
 - Speak@Ease or "0" or Secretary speed-call
- LED indicators on the Cordless Accessories Module, Cordless Handset, and Cordless Headset indicate both connectivity and charging status
- Eight hours talk time
- Forty-three hours standby time
- Battery recharge time of three hours or less
- Operating range of up to 300 feet (100 meters) from the 5330, 5340, and 5360 IP Phones
- Integrated functionality of the Cordless Headset eliminates the need for a handset lifter
- Out of communications range warning tone
- Support for two cordless devices (Cordless Handset and Cordless Headset) per Cordless Accessories Module
- Audible warning for low battery
- DECT-based design: Standard DECT and DECT 6.0 cordless technology provides higher quality voice transmission, density, and less interference compared to Bluetooth
- Supported on the Mitel 3300 IP Communications Platform (ICP) and in the future on the Mitel SX-200 IP Communications Platform (ICP)

Technical Specifications

Supported Phones:

- Mitel 5330 IP Phone
- Mitel 5340 IP Phone
- Mitel 5360 IP Phone

Minimum System Software Requirements

1. Mitel Communications Director (MCD): Minimum system software is MCD Release 4.0 SP1
2. Mitel 5000 Communications Platform (CP): Minimum system software is 5000 CP Release 3.0
3. SX-200 ICP: Minimum system software is Release 4.0, UR3
4. Mitel Teleworker Solution: Minimum system software is Release 4.5

Feature	Specification
Wireless Technology	DECT operating at 1.9 GHz: 1880 – 1900 MHz (Standard DECT) (UK / Europe) 1920 – 1930 MHz (DECT 6.0) (North America)
Transmission Power	63mW
Power Consumption	3 W
Operating Environment: Temperature Humidity	+10 to +40C / 50°F to 104°F 15% at +40C, 95% at 29C
Storage Environment: Temperature Humidity	0 to +40C / 32°F to 140°F 34% at +40C, 95% at 29C
Range	Up to 300 feet in a typical office environment
Talk Time on a Single Charge: Cordless Handset Cordless Headset	8 hours 9 hours
Standby Time: Cordless Handset Cordless Headset	48 hours 43 hours
Cordless Handset / Cordless Headset Battery Recharge Time	3 hours
Cordless Headset Microphone	Noise-canceling
Cordless Headset Weight	0.84 oz (26g)
Battery Type	Lithium polymer
Security	64-bit digital encryption

Cordless Module / Cordless Handset / Cordless Headset – North American-Variant (DECT 6.0) (1920 – 1930 MHz)

United States

Canada

Cordless Module / Handset / Headset – EURO-Variant (Standard DECT) (1880 – 1900 MHz)

United Kingdom

Europe (EU)

Australia, New Zealand

www.mitel.com



Global Headquarters	U.S.	EMEA	CALA	Asia Pacific
Tel: +1(613) 592-2122 Fax: +1(613) 592-4784	Tel: +1(480) 961-9000 Fax: +1(480) 961-1370	Tel: +44(0)1291-430000 Fax: +44(0)1291-430400	Tel: +1(613) 592-2122 Fax: +1(613) 592-7825	Tel: +852 2508 9780 Fax: +852 2508 9232

For more information on our worldwide office locations, visit our website at www.mitel.com/offices

THIS DOCUMENT IS PROVIDED TO YOU FOR INFORMATIONAL PURPOSES ONLY. The information furnished in this document, believed by Mitel to be accurate as of the date of its publication, is subject to change without notice. Mitel assumes no responsibility for any errors or omissions in this document and shall have no obligation to you as a result of having made this document available to you or based upon the information it contains.

M MITEL (design) is a registered trademark of Mitel Networks Corporation. All other products and services are the registered trademarks of their respective holders.

© Copyright 2009, Mitel Networks Corporation. All Rights Reserved.

GD 1031_4787 PN 51012401RB-EN